

[Sign in](#)

Web Images Groups News Froogle Local ^{New!} more »

marking differences between lines versioning [Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 45,700,000 for marking differences between lines versioning. (0.13 seconds)

[PDF] Marking up differences between latex files with latexdiffFile Format: PDF/Adobe Acrobat - [View as HTML](#)

Marking up differences between latex files with. latexdiff. FJ Tilmann ...

Where there are insignificant differences, eg in the positioning of line ...

www.tug.org/tex-archive/support/latexdiff/latexdiff-man.pdf - [Similar pages](#)**Mark's Adding Machine**

Note that there weren't any modifications between beta version 1.30 and releast

... Also, the registered version allows up to 1000 lines in the tape box per ...

mwganson.freeyellow.com/MAM/ - 10k - [Cached](#) - [Similar pages](#)**VeriSign Secured Seal Program - FAQ from VeriSign, Inc.**

What are the differences between this and previous VeriSign security marks? ...

The VeriSign Secured Seal is a trust mark available for display on any Web ...

www.verisign.com/products-services/security-services/secured-seal/page_002751.html - 64k - Dec 13, 2005 - [Cached](#) - [Similar pages](#)**APA Style Guide - M. Plonsky, Ph.D.**

Note that a checklist version of this writing guide is available. ... Attitudes

Towards Abortion in Midwestern College Students Mark Plonsky University of ...

www.uwsp.edu/psych/apa4b.htm - 48k - [Cached](#) - [Similar pages](#)**Stoa | How to Mark Up a Text**

The difference between this example and the previous one is that the <ref> allows

... When the text is managed by a version control system, one change entry ...

www.stoa.org/markup/how_markup.shtml - 62k - Dec 14, 2005 - [Cached](#) - [Similar pages](#)**GrayLady.com: NY Times explodes wall between print, Web**

... diminish and eventually eliminate the difference between newspaper journalists

and ... It's an annotated version of the M&A [mergers and acquisitions] ...

www.ojr.org/ojr/stories/050809glaser/ - 40k - Dec 13, 2005 - [Cached](#) - [Similar pages](#)**[PDF] Professional Surveyor Archives**File Format: PDF/Adobe Acrobat - [View as HTML](#)

The magnitude of the differences between. the two height systems is shown in

Figure 1. VERTCON, currently version 2.0, is available as an element of the NGS ...

www.ngs.noaa.gov/TOOLS/Professional_Surveyor_Articles/VERTCON.pdf - [Similar pages](#)**SteynOnScreen**

Mark Steyn From Head To Toe, an anatomical anthology on everything from the ...

In fact, judging from his inability to understand the difference between ...

www.steynonline.com/index2.cfm?edit_id=26 - 49k - [Cached](#) - [Similar pages](#)**Canonical XML Version 1.0**


Thus, with respect to the fact that element e3 in the following examples is not

namespace qualified, we cannot tell the difference between <e1 ...

www.w3.org/TR/xml-c14n - 76k - [Cached](#) - [Similar pages](#)**UEStudio / UltraEdit / UltraCompare / UltraSentry - Text Editor ...**

UltraEdit and UESTudio '05 both feature a Lite version of UltraCompare. The main

difference between UltraCompare Lite and UltraCompare Professional is that ...

www.ultraedit.com/index.php?name=Content&pa=showpage&pid=153 - 42k - [Cached](#) - [Similar pages](#)Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Sign in](#)Web Images Groups News Froogle Local ^{New!} more »

versioning delta file

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 69,600 for versioning delta file. (0.07 seconds)

Citations: File system support for delta compression - MacDonald ...
 Metadata Efficiency in **Versioning File Systems** - Craig Soules Garth (2003) (6 ...
 Algorithms for **Delta** Compression and Remote **File** Synchronization - Suel, ...
[citeseer.ist.psu.edu/context/1327173/688098](#) - 26k - [Cached](#) - [Similar pages](#)

Sponsored Links

File Versioning

Find Solutions for Your Business
 Free Reports, Info. & Registration
www.KnowledgeStorm.com

Simple Versioning of Database Entries

The only thing remaining now is a comfortable view on the shadow_table, so not only to show the **delta** files but the whole different versions. ...

www.ciseland.de/projects/pg_ci_diff/doc.html - 13k - [Cached](#) - [Similar pages](#)

[ps] Simple Versioning of Database Entries Peter Seiderer October 8 ...

File Format: Adobe PostScript - [View as Text](#)

... so not only to show the **delta** files but the whole different versions. ... v ORDER BY
 version DESC LOOP. tmp := pg.patch(tmp, delta.data2); END LOOP; ...

www.ciseland.de/projects/pg_ci_diff/pg_ci_diff.ps - [Similar pages](#)

Glossary

This set of differences is known as a **delta**. The **file version** that you initially checked out was constructed from a set of accumulated deltas. ...

docs.sun.com/source/806-3573/glossary.html - 22k - [Cached](#) - [Similar pages](#)

Advanced File Management

The terms **delta** and **version** are often used synonymously; however, their meanings are not the same. **Versioning** constructs a **version** of a file from a set of ...

docs.sun.com/source/806-3573/versionadv.html - 44k - [Cached](#) - [Similar pages](#)

Sun WorkShop TeamWare: User's Guide: 9 - Resolving Conflicts

Neither the **version** of the file in the child nor the **version** in the parent ... The common ancestor is the **delta** from which both the parent and child deltas ...

www.ictp.trieste.it/~manuals/programming/sun/teamware/user_guide/resolving.doc.html - 18k - [Cached](#) - [Similar pages](#)

Sun WorkShop TeamWare: User's Guide: 11 - How the Configuring ...

By merging the information from the source into the destination history file, the current **version (delta)** can be rederived, and the file's entire **delta** and ...

www.ictp.trieste.it/~manuals/programming/sun/teamware/user_guide/scsmerge.doc.html - 13k - [Cached](#) - [Similar pages](#)

BlackBall - Time Traveller

TimeTraveler™ - Online **Delta File Versioning**. BlackMagic Online Training ...

BlackMagic TimeTraveler **delta file versioning** ensures you have access to every ...
206.171.112.59/b/nav/products/blackmagic/timetraveller - 14k - [Cached](#) - [Similar pages](#)

[PPT] Accumulative Versioning File System Moraine and Its Application to ...

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

-show a **delta**. Control Commands. Vertical **File System**. **Version** Control Daemon. Unix **File** system. VFS is designed as a stackable file system. ...

www.cs.virginia.edu/fse8/presentations/Yamamoto.ppt - [Similar pages](#)

[doc] Product Information S/DK/N/SF


File Format: Microsoft Word 2000 - [View as HTML](#)

Reverse-**delta file versioning** allows instant access to the most recent file. Familiar interface, The user interface of Visual SourceSafe 6.0 has the ...

web01.microsoft.se/portfolio/

Product%20Information%20Sheets/Visual%20SourceSafe%206.0.doc - [Similar pages](#)


Result Page:



Visual File Comparison Tool

NEW Current stable version is 1.6m (August 18, 2005). You can download it from these links.

If you find **ExamDiff** useful, feel free to vote for it at CNet's Download.com it by clicking here.




On this page:

- [What is ExamDiff?](#)
- [ExamDiff features](#)
- [What ExamDiff cannot do \(but ExamDiff Pro can\)](#)
- [Version info](#)
- [Download](#)
- [Bug reports and feature requests](#)

What Is ExamDiff?

ExamDiff is a freeware Windows tool for visual file comparison. It has a number of simple and convenient features that many users have been asking for a long time from a file comparison tool. Here is what an ExamDiff screen after comparing files may look like:



ExamDiff is a part of a suite of products that includes [FtpVC](#) - an FTP based Version Control System. It allows joint software development remotely over the internet.

ExamDiff Features

- Remembers a user specified number of last compared first and second files. This allows quick selection of the two files the user wishes to compare

- There is no need to specify both filenames -- just enter a directory name for one of the files to be compared. ExamDiff will try to use an entered filename with a specified directory name
- Automatically detects file changes and prompts the user to re-compare files
- One push re-compare function which attempts to leave the viewer's focus in the same place as before the re-compare
- Drag and drop support for dropping one or two files into the program's window (e.g. from Windows Explorer)
- Easy editing of the first and second files. ExamDiff will spawn any editor (configurable by the user) with the first or second file, and line number option (available for editors that support this, through ExamDiff variables: \$FILE (first or second file name), \$CURFIF (number of line at which the current difference starts), and \$CARET (number of line where the caret is located))
- Saves the file differences in a standard UNIX DIFF file
- Easy navigation through the differences via "Previous Difference"/ "Current difference"/ "Next Difference" buttons and hot keys or via a drop-down list box of all the differences
- Allows the copying of text from the comparison panes via drag and drop, a hot key, or a right button pop up
- Simple "Search" command to search for strings in the comparison panes. It also remembers a user specified number of most recent searches
- Customizable text and background colors, font, tab size, and "Show Differences Only" option as well as options to "Ignore white spaces in lines", "Ignore changes in amount of white spaces in lines", "Ignore case", "Treat files as text files", "Ignore leading white space in lines" and "Ignore trailing white space in lines" for comparison
- Fully customizable file extension filter. For example, the user can choose only .c and .cpp files or any other files he/she chooses to be displayed
- Tooltips which include file properties (when the mouse cursor is placed over the pane title bars), difference number (when the cursor is over the yellow triangle marking the current difference), and etc
- Adjustable pane splitter with smooth synchronized scrolling. Allows easy toggling between horizontal and vertical splitter orientation as well as splitter centering and panes hiding
- Command line options include:

Usage: ExamDiff [Filename1] [Filename2] [Options]

Filename1, Filename2 are names of files to be compared

Options are any of:

 - /i ignore case
 - /w ignore all white space in lines
 - /b ignore changes in amount of white space in lines
 - /l ignore leading white space in lines
 - /e ignore trailing white space in lines
 - /t treat both files as text files
 - /d show differences only
 - /n don't show initial "Compare Files" dialog
 - /aN scroll trough all differences with N second delay and exit after the last difference
 - /?,/h print this screen

NOTE: if options /i, /w, /b, /l, /e, /t, or /d are not set, the last used options remain in effect.

What ExamDiff Cannot Do (But ExamDiff Pro Can)

- Compare directories and binary files.
- Highlight file differences down to the level of words or characters in changed lines.
- Ignore lines and part of lines matching regular expressions.
- Print (and print preview) the diff report.
- Word wrap long lines.
- Edit files inside comparison panes.
- Use named comparison sessions.
- Support Unicode.

Version Info

- Version: 1.6m
- Supported OS versions: Windows 95/98/Me/NT/2000/XP/2003
- Download size (with installation): 464 KB (475,872 bytes)
- Download size (without installation): 211 KB (216,349 bytes)

- Executable file version: 1.6.12.1
 - Executable file size: 420 KB (430,592 bytes)
 - Executable file time: August 18, 2005, 7:19:51 PM PM PST
 - Price: Free
-

Download

Download **ExamDiff 1.6m** from:

- [CNet's Download.com](#)
- [Simtel.Net](#)
- [PrestoSoft](#)
- [PrestoSoft \(without installation\)](#)
- [French translation](#) (courtesy of [DenB](#))

Download **ExamDiff 1.6k** from:

- [PrestoSoft](#)
- [PrestoSoft \(without installation\)](#)

Download **ExamDiff 1.6l** from:

- [PrestoSoft](#)
-

Bug Reports and Feature Requests

Before submitting a bug report or a feature request, please consult [PrestoSoft Forums](#).

If your question is not answered, submit bug reports, new feature requests, and comments using [this form](#).

Copyright © 1998-2005 PrestoSoft. All rights reserved.

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)
 [Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about **45,700,000** for **marking differences between lines versioning**. (0.41 seconds)**RIAA Challenges SDMI Attack**

Subject: Reading **Between the Lines**: Lessons from the SDMI Challenge ... and then a watermarked **version** of a second clip, from which the **mark** is to be ...
 cryptome.org/sdmi-attack.htm - 44k - [Cached](#) - [Similar pages](#)

ExamDiff - Visual File Comparison Tool

Customizable text and background colors, font, tab size, and "Show **Differences Only**" option as well as options to "Ignore white spaces in **lines**", ...
 www.prestosoft.com/ps.asp?page=edp_examdiff - 26k - [Cached](#) - [Similar pages](#)

Web Content Accessibility Guidelines 1.0

They may have an early **version** of a browser, a **different** browser entirely, ... to an eighty-cell **line**, most having **between** twelve and twenty cells per **line**. ...
 www.w3.org/TR/WAI-WEBCONTENT/ - 125k - [Cached](#) - [Similar pages](#)

Canon EOS-1Ds Mark II Firmware-E

EOS-1Ds Mark II Firmware Update **Version** 1.1.4 ... Reduces the color **differences between** RAW and JPEG thumbnail images when viewing thumbnails in the bundled ...
 web.canon.jp/imaging/eos1dsm2/eos1dsmk2_firmware-e.html - 27k - [Cached](#) - [Similar pages](#)

Jurisdiction Boundary Marking Act

8 Cl. 17 shall **mark** the boundaries of such enclave with appropriate markers, ... to become better informed about the **differences between** federal and state ...
 www.constitution.org/pol/us/jbma.htm - 7k - [Cached](#) - [Similar pages](#)

Simulator Program Website

Here's a zip-file for the beta **version** v1.1b2, which adds error **markings** for ... The blue graph charts the **difference between** the pixels for each camera and ...
 people.ucsc.edu/~meyoung/ - 18k - Dec 13, 2005 - [Cached](#) - [Similar pages](#)

A History of the Doctor Who Theme

But there is one important **difference between** this **version** and that on the 1967 master - this ... The text on this page is Copyright © 2000-2002 Mark Ayres. ...
 ourworld.compuserve.com/homepages/Mark_Ayres/DWTheme.htm - 59k - Dec 13, 2005 - [Cached](#) - [Similar pages](#)

vc.pl

Emphasis is on **differences between** CVS and RCS behaviors for the most common ... OTOH this is a command-line tool. Emacs has its own **version** control stuff. ...
 people.csail.mit.edu/gremio/code/vc.pl.html - 16k - [Cached](#) - [Similar pages](#)

[PDF] Proceedings of the 10 USENIX Security Symposium

File Format: PDF/Adobe Acrobat
mark challenge: an original and watermarked **version** of. one clip, and then a watermarked ... tor file, the **difference between** the left and right channels ...
 www.usenix.org/events/sec01/craver.pdf - [Similar pages](#)

Differences between the 1990 and 2000 Census Questionnaires

MAJOR DIFFERENCES IN SUBJECT-MATTER CONTENT BETWEEN THE 1990 AND 2000 CENSUS ... The 2000 **version** allows American Indians and Alaska Natives to write-in ...
 www.census.gov/population/www/cen2000/90vs00.html - 26k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Sign in](#)Web Images Groups News Froogle Local ^{New!} more »

versioning delta file

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 69,600 for **versioning delta file**. (0.32 seconds)**Software Distribution and Packaging Frequently Asked Questions**

The **delta file** is passed to all distribution points. • The package **version** in client policy is incremented to ensure Advanced Clients are aware of the ...

www.microsoft.com/technet/prodtechnol/sms/sms2003/techfaq/tfaq07.mspx - 61k -

[Cached](#) - [Similar pages](#)

True Blue Software Newsletter: May, 2002

Summary: **Delta** storage provided dramatic disk space (cost) savings and recorded the relationships between revisions of a **file**. But project level **version** ...

www.truebluesoftware.com/newsletter/200205.html - 22k - [Cached](#) - [Similar pages](#)

Versioning and the Repository

Each **file 1.delta**, etc., is the representation of a single **delta**. In a direct reflection of the accumulative **versioning** model, the **.delta files** are never ...

sheets.sourceforge.net/versioning.html - 37k - [Cached](#) - [Similar pages](#)

Data Deposit Box - Online Backup Service - File Versioning

Our backup engine compares each new **file** to the last **version** stored. It then extracts the changed data to created a "**delta**" **file**. This **delta** is stored on ...

www.datadepositbox.com/versioning.asp - 6k - [Cached](#) - [Similar pages](#)

A delta virtual filesystem

As the **versioning** filesystem generates a new separate **file** for every **file** edit ... The code includes logic to keep the new **file** intact if its **delta** with the ...

wiki.tcl.tk/12946 - 17k - [Cached](#) - [Similar pages](#)

Russian Dolls and XML: Handling Multiple Versions of XML in XML

We first convert the first **file** into a unified **delta** with a **version** denoted 'A'. The result has been pretty-printed but in general all whitespace that is ...

www.idealliance.org/papers/dx_xml03/papers/05-01-03/05-01-03.html - 62k -

[Cached](#) - [Similar pages](#)

[PDF] Russian Dolls and XML: Handling Multiple Versions of XML in XML

File Format: PDF/Adobe Acrobat - [View as HTML](#)

a unified **delta file** (containing one **version**) involves only the addition of a single ... We first convert the first **file** into a unified **delta** with a **version** ...

www.idealliance.org/papers/dx_xml03/papers/05-01-03/05-01-03.pdf - [Similar pages](#)

Generating Syntactical Deltas from Java Source Code

A diff program takes two versions of the same **file** and produces a directed **delta**. The **delta** can then be used to reconstitute the newer **version** from the ...

facweb.cs.depaul.edu/ctiphd/ctirs99/online/violette.html - 20k - [Cached](#) - [Similar pages](#)

File System Support for Delta Compression - MacDonald (ResearchIndex)

Delta compression, which consists of compactly encoding one **file version** as the result of changes to another, can improve efficiency in the use of network ...

citeseer.ist.psu.edu/macdonald00file.html - 26k - [Cached](#) - [Similar pages](#)

Tuxfinder : Thematic Tree

PRCS is a front end for a **version** control toolset. Xdelta uses a binary **file delta** algorithm to replace the standard diff program used by RCS. ...

www.tuxfinder.com/thematic/tree.php?category=137 - 11k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



ExamDiff

[:: examdiff pro ::](#) [products ::](#) [home](#)

Search

GO

[Home](#)

[Products](#)

[News](#)

[Forums](#)

[Contact us](#)

[ExamDiff Pro](#)

[Download](#)

[Plug-ins new!](#)

[Screenshots](#)

[History](#)

[User Testimonials](#)

[Price](#)

[Purchase](#)

[Awards](#)

[Version Info](#)

[Online Help](#)

[FAQ](#)

[Tutorials](#)

[Wish List](#)

[Known Problems](#)

[Corporate Clients](#)

[ExamDiff](#)

[\(Freeware\)](#)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	Morris.in. and merg\$5 and delta	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:30
S2	2	"5649200".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:34
S4	2	"5600834".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 17:34
S5	27	(threshold same ((difference delta) near8 line)) and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:12
S6	30	threshold and ((mark\$4 indicat\$4 tagg\$4) same ((difference delta) near8 line)) and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:22
S7	9	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:12
S8	501	(threshold with (differen\$4 delta)) and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:46
S9	105	S8 and ((compar\$5 near8 (line character symbol)) same (file version text document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:58
S10	98	(@ad<="20001121" or @rlad<="20001121") and (S9 or S5 or S6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 08:16

S11	13	S9 and (S5 or S6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:16
S12	6	(@ad<="20001121" or @rlad<="20001121") and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:20
S13	103	(@ad<="20001121" or @rlad<="20001121") and ((predetermined near4 (number near3 difference)) same (line text file page document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:53
S14	63	(@ad<="20001121" or @rlad<="20001121") and S13 and (difference near9 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:57
S15	0	S10 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:21
S16	0	S8 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:21
S17	0	(S5 or S6) and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:21
S18	0	S14 and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 12:22
S19	19223	(differen\$4 delta) and ((compar\$4 and line) same (version text document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:52
S20	1452	(@ad<="20001121" or @rlad<="20001121") and (version\$4 near5(file document text)) and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:39

S21	0	S20 and ((predefined known predetermined preset prestored precalculated persisted recorded) near4 ((threshold number) near2 difference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:01
S22	170	S20 and ((predefined known predetermined preset prestored precalculated persisted recorded) near4 (threshold or (number near2 difference)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:01
S23	32	S22 and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:33
S24	10	S23 and Jones.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 13:34
S25	22	S23 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:36
S26	170	(compar\$4 near5 (word line text)) same ("less" greater) adj2 (specific predetermined) adj2 (number total threshold differences))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:57
S27	0	(@ad<="20001121" or @rlad<="20001121") and (version\$4 near5(file document text)) and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:48
S28	12	(@ad<="20001121" or @rlad<="20001121") and ((compar\$6 delta) near5 (file document text)) and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:39
S29	32	S19 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:45
S30	0	S29 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:45

S31	14	S23 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:46
S32	4	S31 not Jones.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:47
S33	4	(@ad<="20001121" or @rlad<="20001121") and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:48
S34	9	(compar\$5 same (text file document)).ab. and (delta difference merg\$3).clm. and (mark\$3 near5 (("more" greater lower "less" higher exceed\$3) near8 (number threshold value)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 08:15
S35	6	(@ad<="20001121" or @rlad<="20001121") and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:04
S37	1867	((version\$5 merg\$4 synchroni\$6) with (file document text)) and (compar\$4 with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:51
S38	19223	(differen\$4 delta) and ((compar\$4 and line) same (version text document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:52
S39	4794	(@ad<="20001121" or @rlad<="20001121") and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:53
S40	1453	(@ad<="20001121" or @rlad<="20001121") and S38 and (difference with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:54
S41	316	(@ad<="20001121" or @rlad<="20001121") and S37 and (difference with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:54

S42	216	(@ad<="20001121" or @riad<="20001121") and S39 and (difference with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:54
S43	118841	(@ad<="20001121" or @riad<="20001121") and (software near9 (develop\$5 configura\$4 version\$4 control manag\$5 translat\$4 conver\$4 compil\$4 build\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:55
S44	308	S40 and S43 and (version and compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:56
S45	64	S44 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:02
S46	28	S44 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:56
S47	170	(compar\$4 near5 (word line text)) same (("less" greater) adj2 (specific predetermined) adj2 (number total threshold differences))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:57
S48	0	S44 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:57
S49	501	(threshold with (differen\$4 delta)) and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:58
S50	105	S49 and ((compar\$5 near8 (line character symbol)) same (file version text document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:58
S51	1	S44 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 12:58

S52	4	S50 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:02
S53	16	S50 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 13:03
S54	16	S52 or S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 14:28
S57	1867	((version\$5 merg\$4 synchroni\$6) with (file document text)) and (compar\$4 with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S58	4794	(@ad<="20001121" or @rlad<="20001121") and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S59	316	(@ad<="20001121" or @rlad<="20001121") and S57 and (difference with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S60	216	(@ad<="20001121" or @rlad<="20001121") and S58 and (difference with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S61	501	(threshold with (differen\$4 delta)) and ((compar\$4 same version).ab. (compar\$4 same (version text document)).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S62	105	S61 and ((compar\$5 near8 (line character symbol)) same (file version text document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S63	4	S62 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09

S64	16	S62 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S65	16	S63 or S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:09
S66	4	S65 and (version same compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:10
S67	8	("5481722" or "5903897" or "5649200" or "5600834").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 15:11